# CODE ANALYSIS

APPLIC	ABLE CODES	
Y	ear	Year
	National Electrical Co	ode2005
	Uniform Code for Building Conservation	n
International Fire Code	ADA Accessibility	
International Energy Conservation Code	Guidelines	
Replacing Boiler, Chiller, Pumps- No E	Building Changes.	
A. Occupancy and Group:Exis	ting Building No Changes	
Change in Use: Yes No Special Use and Occupancy (e.g. H		
B. Seismic Design Category:	Design Wind Speed:10	
C. Type of Construction (circle one):	Existing Building No Changes	
$\frac{\mathbf{I}}{A}$ $\frac{\mathbf{I}}{B}$ $\frac{\mathbf{II}}{A}$ $\frac{\mathbf{II}}{B}$	$\frac{\mathbf{III}}{A}$ $\frac{\mathbf{III}}{B}$ $\frac{\mathbf{IV}}{HT}$ $\frac{\mathbf{V}}{A}$	<u>▼</u> B
D. Fire Resistance Rating Requirement	ents for the Exterior Walls base	ed on the fire
separation distance (in hours): Exis		
North: South: Eas	t: West:	
F Missad Oppurer sizes NI/A	Nancanarata di Jaca NI/A	
E. Mixed Occupancies: <u>N/A</u>	Nonseparated Uses: N/A	
F: Sprinklers:		
Required: Provided:	Type of Sprinkler System	ı:Wet
G: Number of Stories: One Build		
	9 9	
H: Actual Area per Floor (square feet	): Existing Building No Change:	<u>S</u>
I: Tabular Area: Existing Building N	lo Changes	
J: Area Modifications: Existing Buildin	g No Changes	_
a) $A_a = A_t + \left[ \frac{A_t I_f}{100} \right] + \left[ \frac{A_t I_s}{100} \right]$	$I_f = 100 \left[ \frac{F}{P} - 0.2 \right]$	$\left[\frac{W}{30}\right]$
b) Sum of the Ratio Calculations f	or Mixed Occupancies:	
Actual Area ≤ 1		
Allowable Area		
<ul><li>c) Total Allowable Area for:</li></ul>		
c) Total Allowable Area for:		
1) One Story:		
1) One Story: 2) Two Story: A <sub>a</sub> (2)		
1) One Story:	-	
1) One Story: 2) Two Story: A <sub>a</sub> (2)		Section:
1) One Story: 2) Two Story: A <sub>a</sub> (2) 3) Three Story: A <sub>a</sub> (3) d) Unlimited Area Building: Yes	No Code S	
1) One Story: 2) Two Story: A <sub>a</sub> (2) 3) Three Story: A <sub>a</sub> (3) d) Unlimited Area Building: Yes  K. Fire Resistance Rating Requireme No Changes	No Code S	s). Existing Buildin
1) One Story: 2) Two Story: A <sub>a</sub> (2) 3) Three Story: A <sub>a</sub> (3) d) Unlimited Area Building: Yes K. Fire Resistance Rating Requireme	nts for Building Elements (hours	s). Existing Buildin
1) One Story: 2) Two Story: A <sub>a</sub> (2) 3) Three Story: A <sub>a</sub> (3) d) Unlimited Area Building: Yes  K. Fire Resistance Rating Requireme No Changes  Element Hours Assemination Listing Exterior Bearing Walls	No Code Solution    Ints for Building Elements (hours bly Element    Floors - Ceiling Floors	s). Existing Buildin
1) One Story: 2) Two Story: Aa(2) 3) Three Story: Aa(3) d) Unlimited Area Building: Yes  K. Fire Resistance Rating Requirement No Changes  Element Hours Assemination Bearing Walls Interior Bearing Walls	No Code Solve Solve Element	s). Existing Buildin  Hours Assembly Listing
1) One Story: 2) Two Story: Aa(2) 3) Three Story: Aa(3) d) Unlimited Area Building: Yes  K. Fire Resistance Rating Requirement No Changes  Element Hours Assemblisting Exterior Bearing Walls Interior Bearing Walls Exterior Non-Bearing Walls Structural Frame	nts for Building Elements (hours  bly Element  Floors - Ceiling Floors Roofs - Ceiling Roofs Exterior Doors and Windows Shaft Enclosures	s). Existing Buildin  Hours Assembly Listing
1) One Story: 2) Two Story: A <sub>a</sub> (2) 3) Three Story: A <sub>a</sub> (3) d) Unlimited Area Building: Yes  K. Fire Resistance Rating Requireme No Changes  Element Hours Asseming Listing  Exterior Bearing Walls Interior Bearing Walls Exterior Non-Bearing Walls Exterior Non-Bearing Walls	nts for Building Elements (hours    Doly   Element	s). Existing Buildin  Hours Assembly Listing
1) One Story: 2) Two Story: Aa(2) 3) Three Story: Aa(3) d) Unlimited Area Building: Yes  K. Fire Resistance Rating Requireme No Changes  Element Hours Assemiliating  Exterior Bearing Walls Interior Bearing Walls Exterior Non-Bearing Walls Structural Frame Partitions - Permanent	nts for Building Elements (hours    Doly   Element	s). Existing Buildin  Hours Assembly Listing
1) One Story: 2) Two Story: Aa(2) 3) Three Story: Aa(3) d) Unlimited Area Building: Yes  K. Fire Resistance Rating Requirement No Changes  Element Hours Asseming Listing  Exterior Bearing Walls Interior Bearing Walls Exterior Non-Bearing Walls Structural Frame Partitions - Permanent Fire Barriers	nts for Building Elements (hours  bly Element Floors - Ceiling Floors Roofs - Ceiling Roofs Exterior Doors and Windows Shaft Enclosures Fire Walls Fire Partitions Smoke Partitions	s). Existing Buildin  Hours Assembly Listing
1) One Story: 2) Two Story: Aa(2) 3) Three Story: Aa(3) d) Unlimited Area Building: Yes  K. Fire Resistance Rating Requirement No Changes  Element Hours Asseming Listing  Exterior Bearing Walls Interior Bearing Walls Exterior Non-Bearing Walls Structural Frame Partitions - Permanent Fire Barriers  L. Design Occupant Load: N/A Existing  Asseming Walls  Exterior Non-Bearing Walls  Structural Frame Partitions - Permanent Fire Barriers	nts for Building Elements (hours    Divinity   Element	S). Existing Buildin  Hours Assembly Listing
1) One Story: 2) Two Story: Aa(2) 3) Three Story: Aa(3) d) Unlimited Area Building: Yes  K. Fire Resistance Rating Requirement No Changes  Element Hours Asseming Listing  Exterior Bearing Walls Interior Bearing Walls Exterior Non-Bearing Walls Structural Frame Partitions - Permanent Fire Barriers	nts for Building Elements (hours    Divinity   Element	S). Existing Buildin  Hours Assembly Listing
1) One Story: 2) Two Story: Aa(2) 3) Three Story: Aa(3) d) Unlimited Area Building: Yes  K. Fire Resistance Rating Requirement No Changes  Element Hours Asseming Listing  Exterior Bearing Walls Interior Bearing Walls Exterior Non-Bearing Walls Structural Frame Partitions - Permanent Fire Barriers  L. Design Occupant Load: N/A Existing  Exit Width Required:	nts for Building Elements (hours    Doly	Hours Assembly Listing
1) One Story: 2) Two Story: Aa(2) 3) Three Story: Aa(3) d) Unlimited Area Building: Yes  K. Fire Resistance Rating Requirement No Changes  Element Hours Asseming Walls Interior Bearing Walls Exterior Non-Bearing Walls Structural Frame Partitions - Permanent Fire Barriers  L. Design Occupant Load: N/A Existing Exit Width Required:	nts for Building Elements (hours    Doly	Hours Assembly Listing  No Changes
1) One Story: 2) Two Story: Aa(2) 3) Three Story: Aa(3) d) Unlimited Area Building: Yes  K. Fire Resistance Rating Requirement No Changes  Element Hours Asseming Walls Interior Bearing Walls Interior Bearing Walls Exterior Non-Bearing Walls Structural Frame Partitions - Permanent Fire Barriers  L. Design Occupant Load:	nts for Building Elements (hours    Doly	Hours Assembly Listing  One of the property of
1) One Story: 2) Two Story: Aa(2) 3) Three Story: Aa(3) d) Unlimited Area Building: Yes  K. Fire Resistance Rating Requirement No Changes  Element Hours Asseming Walls Interior Bearing Walls Exterior Non-Bearing Walls Structural Frame Partitions - Permanent Fire Barriers  L. Design Occupant Load: N/A Existing Exit Width Required:N/A  M. Minimum Number of Required Pluma Water Closets - Required (m)N b) Lavatories - Required (m)N	nts for Building Elements (hours    Doly	Hours Assembly Listing  One of the property of
1) One Story: 2) Two Story: Aa(2) 3) Three Story: Aa(3) d) Unlimited Area Building: Yes  K. Fire Resistance Rating Requirement No Changes  Element Hours Asseming Walls Interior Bearing Walls Interior Bearing Walls Exterior Non-Bearing Walls Structural Frame Partitions - Permanent Fire Barriers  L. Design Occupant Load:	nts for Building Elements (hours    Doly	Hours Assembly Listing  One of the property of
1) One Story: 2) Two Story: Aa(2) 3) Three Story: Aa(3) d) Unlimited Area Building: Yes  K. Fire Resistance Rating Requirement No Changes  Element Hours Asseming Walls Interior Bearing Walls Interior Bearing Walls Exterior Non-Bearing Walls Structural Frame Partitions - Permanent Fire Barriers  L. Design Occupant Load: N/A Existing Exit Width Required: N/A  M. Minimum Number of Required Plum a) Water Closets - Required (m) _ N b) Lavatories - Required (m) _ N c) Bath Tubs or Showers: _ N/A	nts for Building Elements (hours    Doly	Hours Assembly Listing  One of the property of
1) One Story: 2) Two Story: Aa(2) 3) Three Story: Aa(3) d) Unlimited Area Building: Yes  K. Fire Resistance Rating Requirement No Changes  Element Hours Asseming Walls Interior Bearing Walls Interior Bearing Walls Exterior Non-Bearing Walls Structural Frame Partitions - Permanent Fire Barriers  L. Design Occupant Load: N/A Existing Exit Width Required: N/A  M. Minimum Number of Required Plum a) Water Closets - Required (m) b) Lavatories - Required (m) c) Bath Tubs or Showers:N/A	nts for Building Elements (hours    Doly	Hours Assembly Listing  One of the property of
1) One Story:	No Code Solve the for Building Elements (hours)    Solve	s). Existing Buildin  Hours Assembly Listing  and No Changes b)(f)(f)
1) One Story:	nts for Building Elements (hours    Discrete   Provided   Provided	s). Existing Buildin  Hours Assembly Listing  In al Building
1) One Story:	nts for Building Elements (hours    Doly	s). Existing Buildin  Hours Assembly Listing  In al Building govern.
1) One Story:	nts for Building Elements (hours    Doly	s). Existing Buildin  Hours Assembly Listing  In al Building govern.
1) One Story:	nts for Building Elements (hours    Doly	s). Existing Buildin  Hours Assembly Listing  In al Building govern.
1) One Story:	nts for Building Elements (hours    Doly	s). Existing Buildin  Hours Assembly Listing  In al Building govern.
1) One Story: ————————————————————————————————————	nts for Building Elements (hours    Doly	s). Existing Buildin  Hours Assembly Listing  In al Building govern.
1) One Story:	nts for Building Elements (hours    Doly	s). Existing Buildin  Hours Assembly Listing  In al Building govern.
1) One Story: ————————————————————————————————————	No Code S  Ints for Building Elements (hours)    Soly	s). Existing Buildin  Hours Assembly Listing  In al Building govern.
1) One Story:	No Code S  Ints for Building Elements (hours)    Soly	s). Existing Buildin  Hours Assembly Listing  ag No Changes  (f) (f) (f)  sters Parts I hal Building govern. Building Building

# DEPARTMENT OF WORKFORCE SEVICES CEDAR BOILER/CONDENSER REPLACEMENT DFCM # 07184920



State of Utah—Department of Administrative Services

# DIVISION OF FACILITIES CONSTRUCTION AND MANAGEMENT

4110 State Office Building / Salt Lake City, Utah 84114 / 538-3018


#### **DRAWING INDEX:**

G000 - TITLE SHEET

MG001- MECHANICAL GENERAL NOTES AND LEGEND MD101- MECHANICAL DEMOLITION FLOOR PLAN MD102- MECHANICAL DEMOLITION PHOTOGRAPHS MD103- MECHANICAL DEMOLITION PHOTOGRAPHS MD401- LARGE SCALE MECHANICAL DEMOLITION PLAN ME101- MECHANCIAL FLOOR PLAN ME401- LARGE SCALE MECHANICAL AND ELEVATION PLAN

ME501- MECHANICAL DETAILS

ME601- MECHANICAL SCHEDULES



MECHANICAL ENGINEER WHW ENGINEERING, INC. 1354 EAST 3300 SOUTH SUITE 200 SALT LAKE CITY, UTAH 84106 PHONE: (801) 466-4021 FAX: (801) 466-8536





		<del>.</del>						
				ME	CHANICAL LEGEND			
SYMBOL	ABR.	DESCRIPTION	SYMBOL	ABR.	DESCRIPTION	SYMBOL	ABR.	DESCRIPTION
		GENERAL TERMINOLOGY			WET SIDE			WET SIDE CONT
A		SECTION LETTER DESIGNATION	80		PUMP	<b></b>		DIRECTION OF FLOW
ME-101		SECTION DRAWN ON THIS SHEET	——  —		UNION	O		ELBOW UP
(A2)		- DETAIL NUMBER DESIGNATION	Γ		MANUAL ACTUATOR (BALL,	C		ELBOW DOWN
Y)		CORRESPONDING WITH GRID LOCATION			BUTTERFLY, NEEDLE, ETC. VALVES)	— <u> </u>		TEE UP
AH		MECHANICAL EQUIPMENT DESIGNATION	T		MANUAL ACTUATOR (GATE, GLOBE,			TEE DOWN
1		- EQUIPMENT ITEM DESIGNATION			S&D, OS&Y, ETC. VALVES)			EXISTING PIPING TO BE REMOVED
Â		REVISION DESIGNATOR AND NUMBER	X		THREADED VALVE CONNECTION			EXISTING PIPING TO REMAIN
1		KEY NOTE DESIGNATOR AND NUMBER			FLANGED VALVE CONNECTION			NEW PIPING
•	POC	POINT OF CONNECTION	<b>—</b>  [—		BUTTERFLY VALVE			PIPE CAP OR PLUG
$lue{egin{array}{c}}$	POR	POINT OF REMOVAL			GATE VALVE			CONCENTRIC REDUCER
AFF		ABOVE FINISHED FLOOR			GLOBE VALVE - STRAIGHT PATTERN			ECCENTRIC REDUCER
<b>و</b> EL.		CENTER LINE ELEVATION			GLOBE VALVE - ANGLE PATTERN	— D —		CONDENSATE DRAIN
GC		GENERAL CONTRACTOR	<u></u>		CHECK VALVE	—g—		NATURAL GAS PIPING
МС		MECHANICAL CONTRACTOR	<b>△</b>	PRV	PRESSURE REDUCING VALVE	—CF—		CHEMICAL FEED LINE
CC		CONTROL CONTRACTOR	<del>-</del>	CBV	CIRCUIT BALANCING VALVE	—ми—		MAKE-UP WATER LINE
EC		ELECTRICAL CONTRACTOR	<b>—</b> Ф—	BV	BALL VALVE		CW	CULINARY COLD WATER
NIC		NOT IN CONTRACT	₽ <sub>P</sub>	PRV	PRESSURE RELIEF VALVE	— DR—		EQUIPMENT DRAIN
NTS		NOT TO SCALE	\$		NEEDLE VALVE	-HWS-		HEATING WATER SUPPLY
С		COMMON			AUTOMATIC AIR VENT	-HWR-		HEATING WATER RETURN
NC		NORMALLY CLOSED	₩ 		MANUAL AIR VENT	—∟—		REFRIGERANT LIQUID
NO		NORMALLY OPEN			STRAINER	—s—		REFRIGERANT SUCTION
					STRAINER W/ PLUGGED BLOW OFF			
				VTI	VENTURI			
					PRESSURE GAUGE AND GAUGE COCK - WATER			
					THERMOMETER AND THERMOWELL			
			F ———		FLOW SWITCH			

**GENERAL NOTES:** 

MECHANICAL INFORMATION IS NOT LIMITED TO THE MECHANICAL DRAWINGS. CONTRACTOR SHALL BE RESPONSIBLE FOR ON SITE EXISTING CONDITIONS AND OBSTRUCTIONS THAT WILL AFFECT HIS WORK. CONTRACTOR SHALL COORDINATE BUILDING OPENINGS WITH EQUIPMENT SIZES AND MAKE ADJUSTMENTS ACCORDINGLY.

> A - EACH DRAWING SHEET AND THE SPECIFICATIONS HAVE BEEN PREPARED TO SUPPLEMENT EACH OTHER AND THEY SHALL BE INTERPRETED AS AN INTEGRAL UNIT WITH ITEMS SHOWN AND NOTED ON ONE AND NOT THE OTHER BEING FURNISHED AND INSTALLED AS THOUGH SHOWN AND CALLED OUT IN ALL PLACES. ITEMS IN SPECIFICATIONS OR DRAWINGS LISTED WHICH ARE DIFFERING IN EFFICIENCY OR QUALITY SHALL BE HELD TO THE GREATEST OF: EFFICIENCY, QUALITY OR GOVERNING CODE.

B - THE CONTRACTOR WILL BE HELD RESPONSIBLE FOR THE INSTALLATION OF THE SYSTEMS ACCORDING TO THE TRUE INTENT AND MEANING OF THE CONTRACT DOCUMENTS.

C - THE CONTRACTOR SHALL INSTALL ALL EQUIPMENT WITH PROPER SERVICE ACCESS AND CLEARANCES ACCORDING TO MANUFACTURERS RECOMMENDATIONS. THE CONTRACTOR SHALL REVIEW SUPPLIERS BID PACKAGES FOR COMPLETENESS AND COMPLIANCE TO THE SPECIFICATIONS, SCHEDULES, AND DESIGN INTENT (ALL EQUIPMENT AND METHODS). THE CONTRACTOR SHALL REMOVE AND REINSTALL CORRECTLY AT HIS OWN EXPENSE ANY EQUIPMENT NOT IN COMPLIANCE.

D - THE CONTRACTOR SHALL CONSULT MANUFACTURERS INSTALLATION INSTRUCTIONS FOR SIZES, METHODS, ACCESSORIES, AND CLEARANCES IN SPACE AVAILABLE PRIOR TO BIDDING PROJECT.

E - ANYTHING NOT CLEAR OR IN CONFLICT WILL BE EXPLAINED BY MAKING APPLICATION TO THE ENGINEER IN WRITING.

ANY AND ALL ALTERATIONS TO THE SYSTEM SHOWN SHALL BE SUBMITTED TO THE ENGINEER PRIOR TO CHANGES FOR APPROVAL. CONTRACTOR SHALL NOT START ANY CHANGES UNTIL NOTIFIED IN WRITING. IF CHANGES ARE MADE PRIOR TO APPROVAL CONTRACTOR SHALL TAKE ALL RESPONSIBILITY FOR THE CHANGES MADE AND ALL COSTS RELATING TO FAILURE OR REPLACEMENT OF ALTERATIONS.

CONTRACTOR SHALL FIELD VERIFY ALL DIMENSIONS AND LOCATIONS.

THE WORKING DRAWINGS ARE DIAGRAMMATIC. THEY DO NOT SHOW EVERY OFFSET, BEND, OR ELBOW NECESSARY FOR THE COMPLETE INSTALLATION IN THE SPACE PROVIDED. ALL LOCATIONS FOR MECHANICAL EQUIPMENT SHALL BE FIELD VERIFIED AND COORDINATED WITH ALL DRAWINGS.

THE INSTRUCTION TO "PROVIDE" ALSO INCLUDES INSTALLATION.

THE CONTRACTOR SHALL ASSUME ALL RESPONSIBILITY IN HANDLING AND DISPOSING OF REFRIGERANTS, OILS, ETC. ALL SUCH MATERIALS SHALL BE HANDLED, DISPOSED, AND USED IN ACCORDANCE WITH ALL LOCAL, STATE, AND FEDERAL LAWS.

THE MECHANICAL CONTRACTOR SHALL VERIFY MOTOR VOLTAGES WITH THE DRAWINGS BEFORE ORDERING MOTORIZED EQUIPMENT AND CONTROLS.

SUPPLIERS SHALL REVIEW ALL DRAWINGS AND THE SPECIFICATIONS PRIOR TO SUBMITTING PRICES TO THE CONTRACTOR. ALL QUESTIONS AND DISCREPANCIES SHALL BE BROUGHT TO THE ENGINEERS ATTENTION PRIOR TO BIDDING.

CONTRACTOR SHALL THOROUGHLY REVIEW AND SIGN SUBMITTALS FOR COMPLETENESS AND COMPLIANCE TO THE SPECIFICATIONS PRIOR TO ENGINEERS REVIEW. SUPPLIERS SHALL HIGHLIGHT OR MARK ALL INFORMATION REQUIRED TO SHOW COMPLIANCE TO THE SPECIFICATIONS. ALL REQUESTED EXCEPTIONS TO THE SPECIFICATIONS, OR SCHEDULES SHALL BE CLEARLY NOTED AND EXPLAINED. SUBMITTAL REVIEW AND ACCEPTANCE IS FOR DESIGN CONCEPT ONLY, AND DOES NOT AT ANY TIME RELIEVE THE CONTRACTOR OF RESPONSIBILITY TO MEET SPECIFICATIONS, CAPACITIES, OR DESIGN INTENT.

ALL MECHANICAL SHALL BE INSTALLED AND CONFORM TO THE 2006 EDITION OF THE IMC AND IPC WITH UTAH ANNOTATIONS.

THIS CONTRACTOR SHALL BE RESPONSIBLE FOR THE DRAINING DOWN AND RE-FILLING OF THE EXISTING HOT WATER SYSTEM NECESSARY TO COMPLETE THE WORK OUTLINED BY THIS PROJECT. THIS INCLUDES PROVIDING THE REQUIRED CHEMICAL TREATMENT WHEN RE-FILLING THE SYSTEM.

ALL PIPING, EQUIPMENT AND MATERIALS SHALL BE AMERICAN MADE. "NO EXCEPTIONS."

THIS CONTRACTOR SHALL CONTRACT WITH A DESIGN BUILD ELECTRICAL CONTRACTOR FOR THE DESIGN AND CONSTRUCTION OF THE ELECTRICAL PORTION OF THIS PROJECT. ELECTRICAL INSTALLATION AND DESIGN SHALL BE PER 2005 NEC.

State of Utah Department of Administrative Services



Division of Facilities Construction & Management 4110 State Office Building Salt Lake City, Utah 84114 Phone: (801) 538 - 3018 Fax: (801) 538 - 3267

Internet: http://www.dfcm.state.ut.us

**CONSULTANTS** 



**WHW ENGINEERING INC.** ROFESSIONAL MECHANICAL ENGINEERING 1354 East 3300 South Suite 200 SALT LAKE CITY, UTAH 84106 (801)466-4021, FAX 466-8536

PROJECT NAME & ADDRESS

**DEPARTMENT OF** WORKFORCE **SERVICES CEDAR BOILER/CONDENSER** REPLACEMENT **DFCM No. 07184920** 

176 E. 200 N., Cedar City, Utah

MARK	DATE		REVISION	
PROJECT	'MANAGI	ER:		

\$ 11/21/07

Y/WINWARD M.\

PACKER

WP DRAWN BY: LGD CHECKED BY: SLW


11/21/07 WHW JOB NO.: 07029

SHEET TITLE

**MECHANICAL GENERAL** 

**MG001** 


**NOTES AND LEGEND** 



- (1) SEE LARGE SCALE SHEET MD401 FOR DEMOLITION OF THIS AREA.
- 2 REMOVE EXISTING AIR COOLED CONDENSING UNIT AND ALL ASSOCIATED ITEMS, ELECTRICAL, CONTROLS ETC.
- 3 EXISTING CONCRETE PADS SHALL REMAIN AND BE REUSED.
- EXISTING CONDENSING UNIT, CONTROLS, PIPING, PAD AND ELECTRICAL SHALL REMAIN.
- 5 EXISTING CHAIN LINK FENCE AND GATE SHALL REMAIN.
- 6 EXISTING REFRIGERANT PIPING FROM UNIT TO THIS POINT SHALL BE REMOVED. REFRIGERANT PIPING THRU-WALL AND WITHIN BUILDING
- 7 REMOVE EXISTING DISCONNECT SERVING CU-6. ELECTRICAL DESIGN BUILD CONTRACTOR SHALL DETERMINE HOW HE WANTS TO REUSE CONDUIT AND WIRING. .

State of Utah Department of Administrative Services

Division of Facilities Construction & Management 4110 State Office Building



Internet: http://www.dfcm.state.ut.us

CONSULTANTS



**WHW ENGINEERING INC.** PROFESSIONAL MECHANICAL ENGINEERING 1354 East 3300 South Suite 200 SALT LAKE CITY, UTAH 84106 (801)466-4021, FAX 466-8536 EMAIL: excellence@whw-engineering.com

PROJECT NAME & ADDRESS

**DEPARTMENT OF** WORKFORCE **SERVICES CEDAR BOILER/CONDENSER REPLACEMENT** 

**DFCM No. 07184920** 

176 E. 200 N., Cedar City, Utah MARK DATE **REVISION** 

PROJECT MANAGER: WP DRAWN BY: LGD CHECKED BY: SLW


11/21/07

WHW JOB NO.: 07029


**MECHANICAL DEMOLITION FLOOR PLAN** 

**MD101** 


11/21/07 WINWARD M. PACKER No. 375080




**EXISTING BOILER** ROOM LOOKING SOUTH SCALE: NONE




**EXISTING BOILER** HWS AND BREECHING SCALE: NONE




**EXISTING BOILER ROOM LOOKING SOUTH** SCALE: NONE




**EXISTING HWS AND** HWR TO BUILDING (B2) SCALE: NONE



EXISTING GAS TRAIN



**EXISTING HW HEATER-BOILER-POT FEEDER** SCALE: NONE



**EXISTING GAS TRAIN & ENTRANCE** SCALE: NONE

- REMOVE EXISTING HOT WATER BOILER AND ALL ASSOCIATED PIPING, STACK, BURNER, ELECTRICAL, CONTROLS, RELIEF VALVE ETC.
- (2) REMOVE EXISTING GAS PIPING, VALVES, ETC. TO POINT SHOWN ON SHEET MD401.
- REMOVE EXISTING HWS FROM BOILER TO POINT SHOWN ON SHEET MD401.
- REMOVE EXISTING CHEMICAL POT FEEDER AND PIPING.
- (5) EXISTING AIR COMPRESSOR AND TANK SHALL REMAIN.
- (6) EXISTING CULINARY HOT WATER HEATER SHALL REMAIN.
- (7) EXISTING FLOOR DRAIN SHALL REMAIN.
- GAS PIPING TO WATER HEATER SHALL REMAIN.
- 9 EXISTING HWR SHALL REMAIN TO
- EXISTING ELECTRICAL PANEL SHALL REMAIN.
- (11) REMOVE EXISTING 8"Ø STACK.
- (12) 14"Ø STACK SHALL REMAIN.
- (13) EXISTING GAS VENTS THROUGH WALL SHALL REMAIN.
- (14) EXISTING WATER PIPING SHALL REMAIN.
- (15) EXISTING WATER MAKE-UP WITH BACKFLOW PREVENTOR, REGULATOR/PRV VALVE WITH BYPASS SHALL REMAIN.
- (16) REMOVE EXISTING INLINE PUMP REUSE AND EXTEND ELECTRICAL FOR NEW PUMP INSTALLATION.
- $\langle 17 \rangle$  REMOVE EXISTING AIR SEPARATOR AND AIR RELIEF PIPING TO POINT SHOWN ON SHEET MD401.
- (18) EXISTING HWS FROM THIS POINT SHALL REMAIN.
- EXISTING PUMP CONTROL SHALL REMAIN AND BE REUSED FOR NEW
- (20) EXISTING LADDER TO MEZZANINE.
- (21) REMOVE EXISTING HWR PIPING FROM BOILER CONNECTION TO BALL VALVE. BALL VALVE SHALL REMAIN.
- 22 EXISTING HWS SHALL REMAIN.
- EXISTING HOT WATER HEATER FLUE SHALL REMAIN.
- EXISTING COMPRESSION TANK SHALL REMAIN.
- 25 EXISTING HWR SHALL REMAIN.
- 3'-0" ACCESS DOOR TO BOILER EQUIPMENT ROOM.
- 27 EXISTING ELECTRICAL PANEL SHALL REMAIN REMAIN.
- REMOVE THIS SECTION OF GAS VENT PIPING. PIPING.
- ②9 GAS PIPING ENTRANCE SHALL REMAIN.
- REMOVE EXISTING WATER LEVEL CONTROLLER AND PIPING.
- (31) REUSE EXISTING ELECTRICAL AND CONTROL WIRING ETC. FOR NEW GAS
- EXISTING CULINARY HOT WATER PIPING SHALL REMAIN.
- EXISTING PRESSURE REDUCING VALVES SHALL REMAIN.
- DRAIN PIPING FROM STACK SHALL REMAIN.

### State of Utah Department of Administrative Services



Division of Facilities
Construction & Management
4110 State Office Building
Salt Lake City, Utah 84114 Phone: (801) 538 - 3018 Fax: (801) 538 - 3267

**WHW** 

1354 East 3300 South Suite 200

Internet: http://www.dfcm.state.ut.us

CONSULTANTS



PROJECT NAME & ADDRESS


# **DEPARTMENT OF** WORKFORCE **SERVICES CEDAR BOILER/CONDENSER REPLACEMENT DFCM No. 07184920**


		176 I	E. 200 N	I., Cedar C	City, Utah	1	
	MARK	DATE		REV	VISION		
	DDOIGCT	'MANAGI	7D.				
	,	WP	ZK.		IONA		
	DRAWN I	EGD			11/21 WINWA	/07 /	
	CHECKE	D BY:			PACI	KER	
	DATE:	/21/07	7	A. C.	No. 37	5080	*//
Α	WHW JO	B NO.:			TATE O	F UTP	
	(	07029					

**MECHANICAL DEMOLITION PHOTOGRAPHS** 


SHEET TITLE

**MD102** 






EXISTING AIR COOLED CONDENSING UNITS SCALE: NONE



**EXISTING EXTERIOR REFRIGERANT** PIPING TO MEZZANINE SCALE: NONE



REFRIGERANT PIPING ENTRANCE TO MEZZANINE SCALE: NONE

- 1 REMOVE EXISTING AIR COOLED CONDENSING UNIT AND ALL ASSOCIATED ITEMS.
- 2 EXISTING AIR COOLED CONDENSING UNIT SHALL REMAIN.
- (3) EXISTING REFRIGERANT PIPING SHALL REMAIN.
- REMOVE OBSOLETE HOT GAS PIPING. REMOVE ONLY THE CAPPED LINE. CAP AT WALL.
- FIPING FROM THIS POINT TO UNIT.
- REMOVE EXISTING INSULATION FROM SUCTION PIPING IN MEZANNINE FAN ROOM.
- $-\sqrt{4}$   $\langle 7 \rangle$  REMOVE EXISTING VFD'S.
  - REMOVE EXISTING TXV VALVES, SENSING BULBS ETC.
  - 9 EXISTING CONCRETE PAD SHALL REMAIN.
  - AIR HANDLING UNITS AND DUCTWORK SHALL REMAIN.
  - (11) EXISTING FENCE SHALL REMAIN.
  - EXISTING LIQUID PIPING AT COIL SHALL REMAIN.
  - (13) HOT GAS PIPING SHALL REMAIN.
  - REMOVE SUCTION PIPING AT COIL CONNECTION TO THIS LOCATION.

Division of Facilities Construction & Management 4110 State Office Building Salt Lake City, Utah 84114 Phone: (801) 538 - 3018 Fax: (801) 538 - 3267

State of Utah

Department of Administrative Services

Internet: http://www.dfcm.state.ut.us

CONSULTANTS



PROJECT NAME & ADDRESS

# **DEPARTMENT OF** WORKFORCE **SERVICES CEDAR BOILER/CONDENSER** REPLACEMENT


**DFCM No. 07184920** 

		176 I	E. 200 N	., Cedar	City, Utah	
	MARK	DATE		RI	EVISION	
	PROJECT	'MANAGI WP	ER:			
	DRAWN T	BY:			11/21/07 WINWARD	CELL TO
	CHECKE				WINWARD I PACKER	M.)B
	l k	)L/ YY		<b>1 2</b> 1	NT 055000	. /

11/21/07 WHW JOB NO.: 07029

**MECHANICAL DEMOLITION PHOTOGRAPHS** 


**MD103** 



REFRIGERANT PIPING CONNECTION TO COIL SCALE: NONE



AIR HANDLING UNITS VFD DRIVES SCALE: NONE



- REMOVE EXISTING HOT WATER GAS FIRED BOILER AND ALL ASSOCIATED ITEMS ie. BURNER, CONTROLS, ELECTRICAL, PIPING, ETC.
- 2 EXISTING CULINARY HOT WATER HEATER SHALL REMAIN.
- (3) EXISTING 12"Ø FLOOR DRAIN SHALL REMAIN.
- (4) REMOVE EXISTING GAS PIPING FROM BURNER TO THIS POINT, INCLUDING SAFETY VALVES, SAFETIES, PILOT PIPING AND VALVES.
- (5) REMOVE EXISTING HEATING HOT WATER SUPPLY PIPING, AIR SEPARATOR, PUMP TO POINT SHOWN. CAP EXISTING PIPING. SEE EXISTING PIPING. SEE SHEET ME401.
- $\langle 6 \rangle$  REMOVE EXISTING HOT WATER RETURN PIPING FROM BOILER CONNECTION TO BALL VALVE LOCATED IN THE VERTICAL PIPING. PIPING FROM THIS POINT UP SHALL REMAIN. SEE SHEET MD102.
- REMOVE EXISTING DRAIN PIPING FROM PIPING TEE TO FLOOR DRAIN.
- REMOVE EXISTING INLINE PUMP. REMOVE ELECTRICAL AND SET ASIDE FOR RE-USE TO NEW PUMP.
- 9 REMOVE EXISTING CHEMICAL POT FEEDER AND PIPING. POT SUPPORT SYSTEM SHALL REMAIN FOR NEW POT FEEDER.
- EXISTING COMPRESSOR AND STORAGE TANK SHALL REMAIN.
- EXISTING LADDER TO MEZZANINE
- EXISTING COMPRESSION TANK SHALL REMAIN.
- EXISTING ELECTRICAL PANEL SHALL REMAIN.
- EXISTING FLOOR MOUNTED SERVICE
- EXISTING WATER SUPPLY RISER AND PIPING SHALL REMAIN.
- EXISTING WATER MAKE-UP FOR HOT WATER SYSTEM SHALL REMAIN TO POINT SHOWN INCLUDING BACKFLOW PREVENTOR, PRV STATION WITH BYPASS.
- (17) EXISTING PUMP STARTER SHALL REMAIN AND BE RE-USED FOR NEW
- REMOVE EXISTING 8" DIA. FLUE FROM BOILER TO FLANGE CONNECTION TO 14" STACK.
- (19) HWR PIPING SHALL REMAIN.
- (20) HWS PIPING SHALL REMAIN.
- (21) EXISTING ELECTRICAL PANEL SHALL REMAIN REMAIN.
- (22) EXISTING 14" FLUE SHALL REMAIN.
- REMOVE EXISTING AIR RELIEF PIPING TO POINT SHOWN. SEE SHEET ME401.
- ACCESS DOOR 2'-10- $\frac{1}{2}$ " FROM EXTERIOR
- 25 ACCESS DOOR 3'-0" TO BOILER ROOM.
- REMOVE EXISTING TXV VALVES, SUCTION TRAPS, AND CONTROL BULBS. SEE A2 SHEET MD103.
- EXISTING AIR HANDLING UNITS AND DUCTWORK SHALL REMAIN.
- EXISTING REFRIGERANT PIPING SHALL REMAIN REMAIN.
- REMOVE EXISTING TECO VARIABLE EREQUENCY DRIVE SEE A3 SHEET FREQUENCY DRIVE. SEE A3 SHEET
- REMOVE EXISTING FREQROL Z200 VARIABLE FREQUENCY DRIVE. SEE A3 SHEET MD103.
- (31) REMOVE EXISTING SUCTION PIPING INSULATION.
- REMOVE EXISTING OBSOLETE HOT GAS PIPING. CAP AT WALL.

State of Utah Department of Administrative Services



Division of Facilities Construction & Management 4110 State Office Building Salt Lake City, Utah 84114 Phone: (801) 538 - 3018 Fax: (801) 538 - 3267

**WHW** 

1354 East 3300 South Suite 200

SALT LAKE CITY, UTAH 84106

(801)466-4021, FAX 466-8536

Internet: http://www.dfcm.state.ut.us

CONSULTANTS



PROJECT NAME & ADDRESS

**DEPARTMENT OF** WORKFORCE **SERVICES CEDAR** BOILER/CONDENSER REPLACEMENT

176 E. 200 N., Cedar City, Utah

**DFCM No. 07184920** 


	MARK DATE REVISION											
MARK	DATE		REVI	SION								
PROJECT	'MANAGI <b>WP</b>	ER:										

DRAWN BY: LGD \$ 11/21/07 <sup>2</sup>/WINWARD M.\<sup>5</sup> **CHECKED BY:** PACKER SLW 11/21/07 WHW JOB NO.: 07029

SHEET TITLE


LARGE SCALE MECHANICAL **DEMOLITION PLAN** 

**MD401** 



State of Utah Department of Administrative Services

Division of Facilities Construction & Management 4110 State Office Building



Internet: http://www.dfcm.state.ut.us




**WHW ENGINEERING INC.** PROFESSIONAL MECHANICAL ENGINEERING 1354 East 3300 South Suite 200 SALT LAKE CITY, UTAH 84106 (801)466-4021, FAX 466-8536

# **DEPARTMENT OF** WORKFORCE **SERVICES CEDAR BOILER/CONDENSER REPLACEMENT**

176 E. 200 N., Cedar City, Utah											
MARK	DATE		F	EVISIO	ON						
PROJECT	MANAGI WP	ER:		1							
DRAWN T				Sir551	)NAL E	KEEL .					
CHECKE	D BY:			/ *****	W THO	TAT. 1					
DATE:	SLW				. 37508		}				
DRAWN I CHECKE	WP BY: LGD	ER:		( PA	ACKER	$\begin{pmatrix} 1 & 1 \\ 0 & 1 \end{pmatrix}$					

**MECHANICAL FLOOR PLAN** 



- PROVIDE NEW HOT WATER BOILER AND MAKE ALL PIPING, ELECTRICAL AND CONTROLS CONNECTIONS NECESSARY FOR A PROPER INSTALLATION. FIELD VERIFY PIPING LOCATIONS.
- PROVIDE NEW AIR SEPARATOR. SEE DETAIL <sup>=/</sup> A4/ME501.
- ROVIDE NEW INLINE HOT WATER PUMP. SEE DETAIL. C2/ME501.
- $\overline{4}$  CONNECT TO EXISTING HWS IN THIS APPROXIMATE LOCATION. FIELD VERIFY EXACT LOCATION.
- CONNECT TO EXISTING HWR IN THIS APPROXIMATE LOCATION. FIELD VERIFY EXACT LOCATION. RE-USE EXISTING BALL VALVE.
- $\langle 6 \rangle$  EXISTING HWS SHALL REMAIN.
- $\langle 7 \rangle$ EXISTING HWR SHALL REMAIN.
- $\langle$  8 $\rangle$ EXISTING CULINARY COLD WATER SUPPLY.
- SEXISTING MU WATER STATION INCLUDING
- PROVIDE NEW CHEMICAL POT FEEDER. MOUNT ON EXISTING WALL SUPPORTS. PROVIDE NEW PIPING. SEE DETAIL A2/ME501.
- NEW 8" FLUE-CONNECT TO EXISTING 14" FLUE  $\stackrel{-}{\sim}$  Thru Roof.
- $\langle 12 \rangle$  PROVIDE NEW 2" BALL VALVE.
- (13) PROVIDE NEW THERMOMETER.
- PROVIDE NEW PRESSURE GAUGE WITH SHUT-OFF VALVE AND SNUBBER.
- $\langle 15 \rangle$  PROVIDE NEW 2" DRAIN LINE AND VALVE.
- (16) CONNECT NEW GAS PIPING INTO EXISTING AT THIS LOCATION. PROVIDE CSD-1 GAS TRAIN. SEE DETAIL C4/ME501.
- CONNECT NEW GAS VENT PIPING TO EXISTING AT  $\stackrel{\cdot}{\sim}$  THIS APPROXIMATE LOCATION. FIELD VERIFY EXACT LOCATION. EXISTING VENT RISERS AND PIPING THRU WALL SHALL REMAIN.
- $\langle 18 \rangle$  EXISTING 4" BOILER PAD SHALL REMAIN.
- PLACE NEW BOILER ON EXISTING CONCRETE PAD. BOLT BOILER TO PAD USING 6 - 2x2x3/8 ANGLE IRON WITH EXPANSION BOLTS AND NUTS. TWO ANGLES PER SIDE, ONE ANGLE PER FRONT AND
- (20) EXISTING ELECTRICAL PANEL.
- (21) EXISTING ELECTRICAL PANELS.
- (22) EXISTING COMPRESSOR AND TANK.
- $\langle 23 \rangle$  EXISTING GAS HOT WATER HEATER.
- 24 EXISTING LADDER TO MEZZANINE MECHANICAL ROOM.
- (25) EXISTING COMPRESSION TANK SHALL REMAIN.
- (26) EXISTING 14" DIA. FLUE THRU ROOF.
- (27) CONNECT NEW MU WATER TO EXISTING IN THIS APPROXIMATE LOCATION. FIELD VERIFY.
- (28) EXISTING CULINARY WATER THRU NORTH WALL.
- $\langle 29 \rangle$  4" FLANGES FOR BOILER PIPING DISCONNECT.
- (30) 4"x2" REDUCER.
- $\langle 31 \rangle$  3" FLANGES FOR BOILER PIPING DISCONNECT.
- (32) EXISTING OUTSIDE WALL.
- 33 EXISTING EXIT DOOR.
- (34) EXISTING ACCESS DOOR TO BOILER ROOM.
- 35 2" CHECK VALVE.
- $\langle 36 \rangle$  2" VENTURI BALANCING VALVE.
- (38) EXISTING CULINARY WATER DROPPING IN  $^{\simeq}$  MEZZANINE TO ROOM BELOW.
- (39) EXISTING GAS SUPPLY TO EXISTING METER SHALL REMAIN.

#### State of Utah Department of Administrative Services



Division of Facilities Construction & Management 4110 State Office Building Salt Lake City, Utah 84114 Phone: (801) 538 - 3018 Fax: (801) 538 - 3267

**WHW** 

Internet: http://www.dfcm.state.ut.us

CONSULTANTS



PROJECT NAME & ADDRESS

# **DEPARTMENT OF** WORKFORCE **SERVICES CEDAR BOILER/CONDENSER** REPLACEMENT

**DFCM No. 07184920** 


	176 E. 200 N., Cedar City, Utah												
MAR	K DATE	REVISION											
DD 0 H	OT MANIACI												

DRAWN BY: LGD /WINWARD M CHECKED BY: PACKER SLW

WHW JOB NO.: 07029 SHEET TITLE

> LARGE SCALE MECHANICAL **AND ELEVATION**

**PLAN** 




IN-LINE PUMP DETAIL

SCALE: NONE

THERMOSTATIC BULB TO BE AS CLOSE TO COIL AS POSSIBLE NOT ALLOWED ON VERTICAL

LINES.



THERMAL BULB

LOCATION

(B1

**NOTES** NEW SUCTION PIPING CONNECTION TO **EXISTING REFRIGERANT COIL** INCLUDING PIPING, MANUFACTURED

NEW THERMOSTATIC EXPANSION

TRAP ETC.

NEW CONNECTION INTO EXSTING

REFRIGERANT SUCTION PIPING. NEW THERMOSTATIC BULB. SEE

(5) EXISTING REFRIGERANT COIL.


(6) NEW MANUFACTURED ONE PIECE TRAP

EXISTING SUCTION PIPING BACK TO **NEW CONDENSING UNIT CU-6 SHALL** 


EXISTING LIQUID PIPING BACK TO NEW CONDENSING UNIT CU-6 SHALL

EXISTING HOT GAS PIPING BACK TO **NEW CONDENSING UNIT CU-6 SHALL** 

DUAL REFRIGERANT COIL **CONNECTION DETAIL** SCALE: NONE










**NOTES** 

- $\langle$  1 angle EXISTING GAS PIPING FROM METER.
- SUPPORT GAS TRAIN FROM FLOOR. USE UNISTRUT AND 1/4" THK FLOOR PLATE.
- GAS PRESSURE REGULATOR.
- 4 MOTORIZED SAFETY VALVE.
- EXISTING PRESSURE REDUCING VALVE.
- (6) PILOT GAS PRESSURE REGULATOR.
- 7 PILOT SOLENOID VALVE.
- (8) LEAK TEST VALVE.
- 9 PILOT SHUT-OFF VALVE.
- GAS TO PILOT CONNECTION ON
- $\langle$ 11angle GAS TAKE-OFF TO PILOT.
- (12) SHUT-OFF VALVE.
- (13) UNION.
- GAS TO BURNER CONNECTION ON BURNER.
- CONNECT TO EXISTING GAS LINE THIS LOCATION. SEE SHEET ME401. FIELD VERIFY EXACT LOCATION.
- DRIP LEG.
- GAS PIPING TO EXISTING HOT WATER
- EXISTING VENTS SHALL REMAIN THRU-WALL FROM GAS VALVES.
- CONNECT NEW VENTS FROM GAS PRESSURE REGULATORS TO EXISTING **VENT THRU-WALL.** 
  - EXISTING GAS PIPING SHALL REMAIN.



**CSD-1 AUTO-IGNITION** 

GAS TRAIN DETAIL

SCALE: NONE

AIR SEPARATOR TANK DETAIL

State of Utah Department of Administrative Services



Construction & Management 4110 State Office Building Salt Lake City, Utah 84114 Phone: (801) 538 - 3018 Fax: (801) 538 - 3267

Internet: http://www.dfcm.state.ut.us

**CONSULTANTS** 



**WHW ENGINEERING INC.** PROFESSIONAL MECHANICAL ENGINEERING 1354 East 3300 South Suite 200 SALT LAKE CITY, UTAH 84106 (801)466-4021, FAX 466-8536 MAIL: excellence@whw-engineering.com

PROJECT NAME & ADDRESS

**DEPARTMENT OF** WORKFORCE **SERVICES CEDAR BOILER/CONDENSER REPLACEMENT DFCM No. 07184920** 

176 E 200 N. Codor City Litab

	1701	E. 200 N., Cedar City, Otan
MARK	DATE	REVISION

PROJECT MANAGER: DRAWN BY: LGD \$/11/21/07 WINWARD M. PACKER No. 375080 CHECKED BY: SLW

07029

**MECHANICAL DETAILS** 

BOILER SCHEDULE
DOILLIN GOITLDGLL

		MBH OUTPUT		WATER TEMP °F		FURNACE	HEATING SURFACE SQ. FT.				
SYMBOL MBH INPUT	MBH INPUT		HP	IN	OUT	VOLUME CU. FT.	JQ. 1 1.		OPERATION WEIGHT LBS	MAKE AND MODEL #	SCHEDULE NOTES
							FIRE SIDE	WATER SIDE			
B 1	528	422	12.6	160	180	8.8	59	63	2450	BURNHAM 4FW 63 50	1,2,3

1. ALTITUDE IS APPROXIMATELY 5720 FEET.

- 2. SEE SPECIFICATIONS FOR OTHER APPROVED MANUFACTURERS. VERIFY FLUE SIZING AND MATERIAL WITH EACH BOILER MANUFACTURER AND AND INSTALL ACCORDINGLY. EXISTING 14"Ø BOILER STACK SHALL REMAIN. BOILERS WITH FLUES OVER 14"Ø ARE NOT ACCEPTABLE.
- 3. BOILER SHALL OPERATE OFF OF FACTORY SUPPLIED CONTROLS WITH AN ENABLE SIGNAL FROM THE EXISTING CONTROLS.

#### PUMP SCHEDULE MOTOR SUCTION DISCHARGE SCHEDULE FT. HEAD RPM SERVICE SYMBOL TYPE GPM V - Ø - Hz HP RPM 1 | 1750 | 2x2x51/4 1,2,3 1725 208-3-60 IN-LINE 42 WATER

- 1. PROVIDE REMOVABLE INSULATION KIT AROUND PUMP SECTION.
- 2. PUMP SHALL BE SIZED IN THE MIDDLE PART OF THE CURVE.
- 3. SEE SPECIFICATIONS FOR OTHER APPROVED MANUFACTURERS.

## AIR COOLED CONDENSING UNIT SCHEDULE

SYMBOL	AREA SERVED	ED MIN SIZE (TONS)	COMPRESSOR MOTOR			CONDENSER FANS			COIL FACE AREA SQ FT		MCA	MOCP	MNUF. & MODEL#	SCHEDULE
			No.	RLA (EACH)	LRA (EACH)	FANS NO.	HP	RPM	CIRCUIT-1	CIRCUIT-2				NOTES
CU 6	OLD EXISTING WEST END	30	CIRCUIT #1-3 CIRCUIT #2-4		189 189	4	1 (EA)	1140	26.3	26.3	151	225	MCQUAY/ACZ030B	1,2,3,4

- 1. REFRIGERANT 407C.
- 2. AT DESIGN CONDITIONS AND 95° F EAT.
- 3. SEE SPECIFICATIONS FOR APPROVED MANUFACTURERS.
- 4. ELECTRIC SERVICE: 208/3/60.
- 5. UNIT EER SHALL BE MINIMUM OF 10.
- 6. FAN & CONTROL POWER 5.6 KW.
- 7. FIELD WIRE 3@ 2/0, BREAKER SIZE 175A. DISCONNECT SIZE 225A.

### AIR SEPARATOR SCHEDULE

S	SYMBOL	CAPACITY GPM	MAX PRESSURE DROP FT.	INLET / OUTLET SIZE	MAKE & MODEL	SCHEDULE NOTES
	AS 1	56	2.3 FT	2"	BELL & GOSSETT RL-2	1

1. FOR OTHER APPROVED MANUFACTURERS SEE SPECIFICATIONS.

#### State of Utah Department of Administrative Services

Division of Facilities
Construction & Management
4110 State Office Building
Salt Lake City, Utah 84114
Phone: (801) 538 - 3018
Face (801) 538 - 3267 Fax: (801) 538 - 3267

Internet: http://www.dfcm.state.ut.us

CONSULTANTS



**WHW** ENGINEERING INC.
PROFESSIONAL MECHANICAL ENGINEERING 1354 East 3300 South Suite 200 SALT LAKE CITY, UTAH 84106 (801)466-4021, FAX 466-8536 EMAIL: excellence@whw-engineering.com

PROJECT NAME & ADDRESS

**DEPARTMENT OF** WORKFORCE **SERVICES CEDAR BOILER/CONDENSER REPLACEMENT** 

176 E. 200 N., Cedar City, Utah

**DFCM No. 07184920** 

MARK	DATE	REVISION

DRAWN BY: LGD 11/21/07 07029

WHW JOB NO.: SHEET TITLE

11/21/07 WINWARD M. PACKER No. 375080

**MECHANICAL SCHEDULES**